



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO.   | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO.                   | CONFIRMATION NO. |
|---|-------------|----------------------|---------------------------------------|------------------|
| 09/475,594  | 12/30/1999  | DIANE M. DEHLI       | 9D-HR-19230                           | 6552             |
| 7590  | 05/10/2004  |                      |                                       |                  |
| John S. Beulick<br>Armstrong Teasdale LLP<br>One Metropolitan Square, Suite 2600<br>St. Louis, MO 63102 |             |                      | EXAMINER<br>DOERRLER, WILLIAM CHARLES |                  |
|   |             |                      | ART UNIT<br>3744                      | PAPER NUMBER     |

DATE MAILED: 05/10/2004

11

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/475,594

Applicant(s)

DEHLI, DIANE M.

Examiner

William C Doerfler

Art Unit

3744

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-9, 11, 14-16, 19 and 20 is/are rejected.
- 7) ☒ Claim(s) 10, 12, 13, 17 and 18 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 02 December 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 9.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_.

## **DETAILED ACTION**

### ***Claim Objections***

Claims 5 and 13 are objected to because of the following informalities: In claim 5, "heat in generated" should be --heat is generated--. In claim 13, "said light" lacks clear antecedent basis. It is believed that claim 13 should depend from claim 12. Appropriate correction is required.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-9,11,14-16,19 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Unger in view of Schmidt.

Unger discloses in figure 8 applicant's basic inventive concept, heating only the periphery of an ice dispensing door using a looped electric heater, substantially as claimed with the exception of placing the heater in the door. Schmidt shows the placing of an electric heater into an ice dispensing door to be old in the ice dispensing art. It would have been obvious to one of ordinary skill in the art at the time of applicant's invention from the teaching of Schmidt to modify the ice dispensing door of Unger by placing the heater in the door to improve the efficiency of the deicing process by limiting heat which enters the ice storage enclosure (by not heating the enclosure). Since Unger shows a flange on the door and teaches the heating of the periphery, it is

Art Unit: 3744

considered obvious that the teaching of Schmidt could be applied to the flange of Unger to only heat the periphery.

***Allowable Subject Matter***

Claims 10,12,13 (if the above clarity problems are fixed), 17 and 18 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.


***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Mawby et al and Yamamoto show ice door mechanisms. Grise shows a flexible heater. Smith shows the heating of the periphery of an opening of a refrigerator. Plumat shows a lighting and heating pane. Sterling shows a sensor light for a refrigerator electrical heater.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William C Doerrler whose telephone number is (703) 308-0696. The examiner can normally be reached on Monday-Friday 6:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Denise Esquivel can be reached on (703) 308-2597. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
William C Doerrler  
Primary Examiner  
Art Unit 3744

WCD